

Version 1.0	SDS Number: 400000005224	Revision Date: 02/06/2017

## SECTION 1. IDENTIFICATION

Product name	PURELL™ FOOD PROCESSING SURFACE SANITIZER FINISHED PRODUCT USE ONLY	<u>'</u> –
Manufacturer or supplier's	tails	
Company name of supplier	GOJO Industries, Inc.	
Address	One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	1 (330) 255-6000	
Emergency telephone number	1-800-424-9300 CHEMTREC	
Recommended use of the c	mical and restrictions on use	

# Recommended use : Disinfectants and general biocidal products

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	: Category 3
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>Response:</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.</li> <li>Storage:</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>Disposal:</li> <li>P501 Dispose of contents/ container to an approved waste disposal plant.</li> </ul>



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 20 - < 35
Isopropyl Alcohol	67-63-0	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately.
If inhaled	: If sensitivity occurs, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: If sensitivity occurs, wash with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Seek medical attention.</li> </ul>
If swallowed	: Rinse mouth with water. Obtain medical attention.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to



Version 1.0	SDS Number: 400000005224	Revision Date: 02/06/2017
	health.	
Specific extinguishing methods	: Use extinguishing measures the circumstances and the surround Use water spray to cool unoper	ding environment.
Further information	: Fire residues and contaminated be disposed of in accordance w	
Special protective equipment for firefighters	: In the event of fire, wear self-co Use personal protective equipm	

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment.</li> <li>Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Material can create slippery conditions.</li> </ul>
Environmental precautions	<ul> <li>Discharge into the environment must be avoided.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Retain and dispose of contaminated wash water.</li> </ul>
Methods and materials for containment and cleaning up	Non-sparking tools should be used. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

#### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid contact with eyes.
Conditions for safe storage	:	No smoking. Take measures to prevent the build up of electrostatic charge. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL



Version 1.0	SDS Number: 400000005224		Revision Date: 02/06/2017		
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1	
		STEL	1,000 ppm	ACGIH	
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH	
		STEL	400 ppm	ACGIH	
		TWA	400 ppm 980 mg/m3	NIOSH REL	
		ST	500 ppm 1,225 mg/m3	NIOSH REL	
		TWA	400 ppm 980 mg/m3	OSHA Z-1	

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI
Personal protective equ	ipment					
Respiratory protection		personal resp uired.	iratory prote	ctive equipr	nent normally	
Eye protection	: No special measures necessary provided product is used correctly.					
Skin and body protection	: No special measures necessary provided product is used correctly.					
Protective measures	cor	oose body pro ncentration and specific work	d amount of		type, to the substances, ai	nd to
Hygiene measures	pra	ndle in accorda ctice. oid contact wit	-	od industria	al hygiene and	safety

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	alcohol-like



sion 1.0	SDS Number: 400000005224	Revision Date: 02/06/2017
Odour Threshold	: No data available	
рН	: 12.6 - 12.9, (24 °C)	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: 77 °C	
Flash point	: 30.8 °C Method: Pensky-Martens close	ed cup
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: 19 %(V)	
Lower explosion limit	: 3.3 %(V)	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Relative density	: No data available	
Density	: 0.952 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: not determined	
Thermal decomposition	: The substance or mixture is no	ot classified self-reactive.
Viscosity Viscosity, dynamic	: 2.6 mPa.s	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	ot classified as oxidizing.

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.



Version 1.0	SDS Number: 400000005224	Revision Date: 02/06/2017
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: No hazardous decomposition products are known.	

#### SECTION 11. TOXICOLOGICAL INFORMATION

<b>Information on likely routes</b> Inhalation Skin contact Eye contact	of exposure	
Acute toxicity Not classified based on availa	able information.	
Components: Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg	

## Skin corrosion/irritation

Not classified based on available information.

#### Product:

Result: No skin irritation

## Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### **Isopropyl Alcohol:**

Species: Rabbit Result: No skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

# Components:

Ethyl Alcohol:



Version 1.0

SDS Number: 40000005224

Revision Date: 02/06/2017

Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

#### Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

## Components:

#### **Ethyl Alcohol:**

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

#### Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

Ethyl Alcohol:	
Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Isopropyl Alcohol:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection
	Result: negative

#### Carcinogenicity

Not classified based on available information.

#### Components:

**Isopropyl Alcohol:** 



ersion 1.0	SDS Number: 400000005224	Revision Date: 02/06/2017
Species: Rat Application Route: inhalation Exposure time: 104 weeks Method: OECD Test Guidelin Result: negative		
IARC	No component of this product pre equal to 0.1% is identified as prot human carcinogen by IARC.	
	No component of this product pre equal to 0.1% is identified as prot human carcinogen by IARC.	
OSHA	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.	
	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.	
NTP	No component of this product pre equal to 0.1% is identified as a kn by NTP.	
	No component of this product pre equal to 0.1% is identified as a kn by NTP.	
<b>Reproductive toxicity</b> Not classified based on avai	lable information.	
Components:		
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
Isopropyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	production toxicity study
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative	elopment

Not classified based on available information.

#### **Components:**



Version 1.0

SDS Number: 40000005224

Revision Date: 02/06/2017

**Isopropyl Alcohol:** Assessment: May cause drowsiness or dizziness.

### STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

### Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

## Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

#### Aspiration toxicity

Not classified based on available information.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

#### Components:

Ethyl Alcohol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	<ul> <li>EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l</li> <li>Exposure time: 72 h</li> <li>Method: OECD Test Guideline 201</li> </ul>
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Isopropyl Alcohol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h



ersion 1.0	SDS Number: 400000005224	Revision Date: 02/06/2017
Toxicity to bacteria	: EC50 (Pseudomonas putida): : Exposure time: 16 h	> 1,050 mg/l
Persistence and degrada	bility	
Components: Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Isopropyl Alcohol: Biodegradability	: Result: rapidly degradable	
Bioaccumulative potentia	al	
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
Isopropyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: 0.05	
<b>Mobility in soil</b> No data available		
<b>Other adverse effects</b> No data available		
Product: Regulation	40 CFR Protection of Environn Stratospheric Ozone - CAA Se	
Remarks	This product neither contains, Class I or Class II ODS as defi Section 602 (40 CFR 82, Subp	ned by the U.S. Clean Air Act

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.

## **SECTION 14. TRANSPORT INFORMATION**

## International Regulation

IATA-DGR	
UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)



Version 1.0	SDS Number: 400000005224	Revision Date: 02/06/2017
	2	
Class	: 3	
Packing group	: 111	
Packing instruction (cargo aircraft)	: 366	
Packing instruction (passenger aircraft)	: 355	
IMDG-Code		
UN number	: UN 1987	
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)	
Class	: 3	
Packing group	: 111	
Labels	: 3	
EmS Code	: F-E, S-D	
Marine pollutant	: no	
National Regulations		
49 CFR		
UN/ID/NA number	: UN 1987	
Proper shipping name	: Alcohols, n.o.s.	
	(Ethanol, Propan-2-ol)	
Class	: 3	
Packing group	: 111	
ERG Code	: 127	
Marine pollutant	: no	

#### **SECTION 15. REGULATORY INFORMATION**

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Potassium Hydroxide	1310-58-3	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Fire Hazard		
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	: The following components are subject to reporting levels established by SARA Title III, Section 313:		levels
	Isopropyl Alcohol	67-63-0	1.42 %

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).



rsion 1.0	SDS Number: 40000005224		05224 Revision	Revision Date: 02/06/20	
Accidental Release F	Prevention (40	CFR 68.130, Subpa	er the U.S. Clean Air Ac Irt F). an Air Act Section 111 S		
Intermediate or Final Ethyl Alco	ediate or Final VOC's (40 CFR 60.489): Ethyl Alcohol 64-17-5		29.4 %	29.4 %	
Isopropyl This product does nc 450.		67-63-0 VOC exemptions list	1.42 % ed under the U.S. Clear	n Air Act Sectio	
Clean Water Act					
	t contain any t	oxic pollutants listed	under the U.S. Clean V	Vater Act Secti	
	lous Substanc	es are listed under t	he U.S. CleanWater Act	, Section 311,	
The following Hazard	n Hydroxide Ious Chemical	1310-58-3 s are listed under the	0.35 % e U.S. CleanWater Act,	Section 311, T	
117.3: Potassiur	n Hydroxide	1310-58-3	0.35 %		
Massachusetts Rig	•				
-	/I Alcohol		64-17-5	20 - 35 %	
Isop	oropyl Alcohol		67-63-0	1 - 5 %	
Massachusetts Rig	ht To Know				
•	/I Alcohol		64-17-5	20 - 30 %	
Isop	Isopropyl Alcohol		67-63-0	1 - 5 %	
Pennsylvania Right					
	Water (Aqua)		7732-18-5	70 - 90 %	
	/I Alcohol		64-17-5	20 - 35 %	
	oropyl Alcohol		67-63-0	1 - 5 %	
Pota	assium Hydrox	lide	1310-58-3	0.1 - 1 %	
Pennsylvania Right					
	Water (Aqua)		7732-18-5	70 - 90 %	
•	Ethyl Alcohol		64-17-5	20 - 30 %	
•	oropyl Alcohol		67-63-0	1 - 5 %	
Pota	assium Hydrox	kide	1310-58-3	0.1 - 1 %	
New Jersey Right T	o Know				
Water (Aqua)		7732-18-5	70 - 90 %		
Ethy	Ethyl Alcohol			20 - 35 %	
Isopropyl Alcohol		67-63-0	1 - 5 %		
New Jersey Right T	o Know				
Wat	er (Aqua)		7732-18-5	70 - 90 %	
Ethy	Ethyl Alcohol		64-17-5	20 - 30 %	
lsor	oropyl Alcohol		67-63-0	1 - 5 %	

#### **California Prop 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.




The components of this product are reported in the following inventories:CH INV: On the inventory, or in compliance with the inventory			
TSCA	: On TSCA Inventory		
DSL	: All components of this product are on the Canadian DSL.		
AICS	: On the inventory, or in compliance with the inventory		
NZIOC	: On the inventory, or in compliance with the inventory		
ENCS	: On the inventory, or in compliance with the inventory		
ISHL	: On the inventory, or in compliance with the inventory		
KECI	: On the inventory, or in compliance with the inventory		
PICCS	: On the inventory, or in compliance with the inventory		
IECSC	: On the inventory, or in compliance with the inventory		

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**



#### **Revision Date**

: 02/06/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to



# PURELLIM FOOD PROCESSING SURFACE SANITIZER

Version 1.0

SDS Number: 40000005224

Revision Date: 02/06/2017

the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.